



Sahajanand Impex Pvt. Ltd.

Signal & Power Cables for Siemens Systems



Sahajanand offers highest quality Cables in accordance to Siemens Standards. These Cables are compatible with Siemens Systems and allows unhindered operation ensuring complete safety and reliability.

Features :

- Highest quality standards
- Fast delivery
- No minimum order quantity
- Customized lengths available
- Economical

Signal Cables



Sahajanand

Technical Specifications :

- Shielded Cables designed according to Siemens standards
- Outer Sheath - Special PVC
- Color - Green (Comparable to RAL 6018)
- Rated Voltage - 30V
- Test Voltage - 500V
- Operating Temperature - -20°C to +80°C
- Oil Resistant
- Flame Retardant
- Insulation Material - CFC / Silicon Free
- Smallest bending radius - 35mm for fixed installation



Products :

Sahajanand Part Number	Siemens Part Number	Length	Sahajanand Part Number	Siemens Part Number	Length
SS-5-200-0030	6FX 5002-2DC-00-1AA3	0.3 Mtr	SS-5-110-1500	6FX 5002-1DC-10-1BF0	15 Mtr
SS-5-200-0100	6FX 5002-2DC-00-1AB0	1 Mtr	SS-5-120-0600	6FX 5002-1DC-20-1AG0	6 Mtr
SS-5-200-0300	6FX 5002-2DC-00-1AD0	3 Mtr	SS-5-120-1000	6FX 5002-1DC-20-1BA0	10 Mtr
SS-5-200-0600	6FX 5002-2DC-00-1AG0	6 Mtr	SS-5-120-1200	6FX 5002-1DC-20-1BC0	12 Mtr
SS-5-200-1000	6FX 5002-2DC-00-1BA0	10 Mtr	SS-5-120-1500	6FX 5002-1DC-20-1BF0	15 Mtr
SS-5-200-1200	6FX 5002-2DC-00-1BC0	12Mtr	SS-2-100-0030	6FX 2002-1DC-00-1AA3	0.3 Mtr
SS-5-200-1500	6FX 5002-2DC-00-1BF0	15Mtr	SS-2-100-0100	6FX 2002-1DC-00-1AB0	1 Mtr
SS-5-210-0300	6FX 5002-2DC-10-1AD0	3 Mtr	SS-2-100-0300	6FX 2002-1DC-00-1AD0	3 Mtr
SS-5-210-0500	6FX 5002-2DC-10-1AF0	5Mtr	SS-2-100-0600	6FX 2002-1DC-00-1AG0	6 Mtr
SS-5-210-0600	6FX 5002-2DC-10-1AG0	6 Mtr	SS-2-100-1000	6FX 2002-1DC-00-1BA0	10 Mtr
SS-5-210-1000	6FX 5002-2DC-10-1BA0	10 Mtr	SS-2-110-0600	6FX 2002-1DC-10-1AG0	6 Mtr
SS-5-210-1200	6FX 5002-2DC-10-1BC0	12 Mtr	SS-2-110-1200	6FX 2002-1DC-10-1BC0	12 Mtr
SS-5-210-1500	6FX 5002-2DC-10-1BF0	15 Mtr	SS-2-120-0600	6FX 2002-1DC-20-1AG0	6 Mtr
SS-5-220-0600	6FX 5002-2DC-20-1AG0	6 Mtr	SS-2-120-1200	6FX 2002-1DC-20-1BC0	12 Mtr
SS-5-220-1000	6FX 5002-2DC-20-1BA0	10 Mtr	SS-3-100-0011	6SL 3060-4AB00-0AA0	0.11 Mtr
SS-5-220-1200	6FX 5002-2DC-20-1BC0	12 Mtr	SS-3-100-0021	6SL 3060-4AF00-0AA0	0.21 Mtr
SS-5-220-1500	6FX 5002-2DC-20-1BF0	15 Mtr	SS-3-100-0031	6SL 3060-4AK00-0AA0	0.31 Mtr
SS-5-100-0030	6FX 5002-1DC-00-1AA3	0.3 Mtr	SS-3-100-0036	6SL 3060-4AM00-0AA0	0.36Mtr
SS-5-100-0100	6FX 5002-1DC-00-1AB0	1 Mtr	SS-3-100-0041	6SL 3060-4AP00-0AA0	0.41 Mtr
SS-5-100-0300	6FX 5002-1DC-00-1AD0	3 Mtr	SS-3-100-0060	6SL 3060-4AU00-0AA0	0.60 Mtr
SS-5-100-0600	6FX 5002-1DC-00-1AG0	6 Mtr	SS-3-100-0095	6SL 3060-4AA10-0AA0	0.95 Mtr
SS-5-100-1000	6FX 5002-1DC-00-1BA0	10 Mtr	SS-3-100-0120	6SL 3060-4AW00-0AA0	1.20Mtr
SS-5-110-0600	6FX 5002-1DC-10-1AG0	6 Mtr	SS-3-100-0145	6SL 3060-4AF10-0AA0	1.45 Mtr
SS-5-110-1000	6FX 5002-1DC-10-1BA0	10 Mtr	SS-3-100-0280	6SL 3060-4AJ20-0AA0	2.80 Mtr
SS-5-110-1200	6FX 5002-1DC-10-1BC0	12 Mtr	SS-3-100-0500	6SL 3060-4AA50-0AA0	5.00 Mtr

Customized lengths available

Encoder Cables



Sahajanand

Technical Specifications :

- Shielded Cables designed according to Siemens standards
- Outer Sheath - Special PVC
- Color - Green (Comparable to RAL 6018)
- Rated Voltage - 30V
- Test Voltage - 500V
- Operating Temperature - -20°C to +80°C
- Oil Resistant
- Flame Retardant
- Insulation Material - CFC / Silicon Free
- Smallest bending radius - 60mm for fixed installation



Products :

Sahajanand Part Number	Siemens Part Number	Length	Sahajanand Part Number	Siemens Part Number	Length
SE-5-CA31-0300	6FX 5002-2CA31-1AD0	3 Mtr	SE-5-CD01-0500	6FX 5002-2CD01-1AF0	5 Mtr
SE-5-CA31-0500	6FX 5002-2CA31-1AF0	5 Mtr	SE-5-CD01-0700	6FX 5002-2CD01-1AH0	7 Mtr
SE-5-CA31-0700	6FX 5002-2CA31-1AH0	7 Mtr	SE-5-CD01-1000	6FX 5002-2CD01-1BA0	10 Mtr
SE-5-CA31-1000	6FX 5002-2CA31-1BA0	10 Mtr	SE-5-CG00-0300	6FX 5002-2CG00-1AD0	3 Mtr
SE-5-EQ10-0300	6FX 5002-2EQ10-1AD0	3 Mtr	SE-5-CG00-0500	6FX 5002-2CG00-1AF0	5 Mtr
SE-5-EQ10-0500	6FX 5002-2EQ10-1AF0	5 Mtr	SE-5-CG00-0700	6FX 5002-2CG00-1AH0	7 Mtr
SE-5-EQ10-0700	6FX 5002-2EQ10-1AH0	7 Mtr	SE-5-CG00-1000	6FX 5002-2CG00-1BA0	10 Mtr
SE-5-EQ10-1000	6FX 5002-2EQ10-1BA0	10 Mtr	SE-5-AH04-0500	6FX 5002-2AH04-1AF0	5 Mtr
SE-5-CA11-0300	6FX 5002-2CA11-1AD0	3 Mtr	SE-5-AH04-0700	6FX 5002-2AH04-1AH0	7 Mtr
SE-5-CA11-0500	6FX 5002-2CA11-1AF0	5 Mtr	SE-5-AH04-1000	6FX 5002-2AH04-1BA0	10 Mtr
SE-5-CA11-0700	6FX 5002-2CA11-1AH0	7 Mtr	SE-5-AH00-0500	6FX 5002-2AH00-1AF0	5 Mtr
SE-5-CA11-1000	6FX 5002-2CA11-1BA0	10 Mtr	SE-5-AH00-0700	6FX 5002-2AH00-1AH0	7 Mtr
SE-5-CA72-0300	6FX 5002-2CA72-1AD0	3 Mtr	SE-5-AH00-1000	6FX 5002-2AH00-1BA0	10 Mtr
SE-5-CA72-0500	6FX 5002-2CA72-1AF0	5 Mtr	SE-5-CJ10-0500	6FX 5002-2CJ10-1AF0	5 Mtr
SE-5-CA72-0700	6FX 5002-2CA72-1AH0	7 Mtr	SE-5-CJ10-0700	6FX 5002-2CJ10-1AH0	7 Mtr
SE-5-CA72-1000	6FX 5002-2CA72-1BA0	10 Mtr	SE-5-CJ10-1000	6FX 5002-2CJ10-1BA0	10 Mtr
SE-5-CC71-0300	6FX 5002-2CC71-1AD0	3 Mtr	SE-5-CJ00-0500	6FX 5002-2CJ00-1AF0	5 Mtr
SE-5-CC71-0500	6FX 5002-2CC71-1AF0	5 Mtr	SE-5-CJ00-0700	6FX 5002-2CJ00-1AH0	7 Mtr
SE-5-CC71-0700	6FX 5002-2CC71-1AH0	7 Mtr	SE-5-CJ00-1000	6FX 5002-2CJ00-1BA0	10 Mtr
SE-5-CC71-1000	6FX 5002-2CC71-1BA0	10 Mtr	SE-5-CH00-0300	6FX 5002-2CH00-1AD0	3 Mtr
SE-5-CC11-0300	6FX 5002-2CC11-1AD0	3 Mtr	SE-5-CH00-0400	6FX 5002-2CH00-1AE0	4 Mtr
SE-5-CC11-0500	6FX 5002-2CC11-1AF0	5 Mtr	SE-5-CH00-0700	6FX 5002-2CH00-1AH0	7 Mtr
SE-5-CC11-0700	6FX 5002-2CC11-1AH0	7 Mtr	SE-5-AD00-0300	6FX 5002-2AD00-1AD0	3 Mtr
SE-5-CC11-1000	6FX 5002-2CC11-1BA0	10 Mtr	SE-5-AD00-0400	6FX 5002-2AD00-1AE0	4 Mtr
SE-5-CD01-0300	6FX 5002-2CD01-1AD0	3 Mtr	SE-5-AD00-0700	6FX 5002-2AD00-1AH0	7 Mtr

Customized lengths available

Power Cables



Sahajanand

Technical Specifications :

- Shielded Cables designed according to Siemens standards
- Outer Sheath - Special PVC
- Color - Orange (Comparable to RAL 2003)
- Rated Voltage - 600V / 1000V
- Test Voltage
 - Power Conductor - 4 KV
 - Signal Conductor - 2 KV
- Operating Temperature - -20°C to +80°C
- Oil Resistant
- Flame Retardant
- Insulation Material - CFC / Silicon Free
- Smallest bending radius - 5XD for fixed installation



Products :

Sahajanand Part Number	Siemens Part Number	Length	Sahajanand Part Number	Siemens Part Number	Length
SP-5-DA01-0500	6FX 5002-5DA01-1AF0	5 Mtr	SP-5-CA01-0500	6FX 5002-5CA01-1AF0	5 Mtr
SP-5-DA01-0700	6FX 5002-5DA01-1AH0	7 Mtr	SP-5-CA01-0700	6FX 5002-5CA01-1AH0	7 Mtr
SP-5-DA01-1000	6FX 5002-5DA01-1BA0	10 Mtr	SP-5-CA01-1000	6FX 5002-5CA01-1BA0	10 Mtr
SP-5-DA01-1500	6FX 5002-5DA01-1BF0	15 Mtr	SP-5-CA01-1500	6FX 5002-5CA01-1BF0	15 Mtr
SP-5-DA11-0500	6FX 5002-5DA11-1AF0	5 Mtr	SP-5-CA11-0500	6FX 5002-5CA11-1AF0	5 Mtr
SP-5-DA11-0700	6FX 5002-5DA11-1AH0	7 Mtr	SP-5-CA11-0700	6FX 5002-5CA11-1AH0	7 Mtr
SP-5-DA11-1000	6FX 5002-5DA11-1BA0	10 Mtr	SP-5-CA11-1000	6FX 5002-5CA11-1BA0	10 Mtr
SP-5-DA11-1500	6FX 5002-5DA11-1BF0	15Mtr	SP-5-CA11-1500	6FX 5002-5CA11-1BF0	15Mtr
SP-5-DA21-0500	6FX 5002-5DA21-1AF0	5 Mtr	SP-5-CA21-0500	6FX 5002-5CA21-1AF0	5 Mtr
SP-5-DA21-0700	6FX 5002-5DA21-1AH0	7 Mtr	SP-5-CA21-0700	6FX 5002-5CA21-1AH0	7 Mtr
SP-5-DA21-1000	6FX 5002-5DA21-1BA0	10 Mtr	SP-5-CA21-1000	6FX 5002-5CA21-1BA0	10Mtr
SP-5-DA21-1500	6FX 5002-5DA21-1BF0	15Mtr	SP-5-CA21-1500	6FX 5002-5CA21-1BF0	15Mtr
SP-5-DA31-0500	6FX 5002-5DA31-1AF0	5 Mtr	SP-5-CA31-0500	6FX 5002-5CA31-1AF0	5 Mtr
SP-5-DA31-0700	6FX 5002-5DA31-1AH0	7 Mtr	SP-5-CA31-0700	6FX 5002-5CA31-1AH0	7 Mtr
SP-5-DA31-1000	6FX 5002-5DA31-1BA0	10 Mtr	SP-5-CA31-1000	6FX 5002-5CA31-1BA0	10 Mtr

Customized lengths available

Sahajanand Impex Pvt. Ltd.

103/104, Magnum Opus,
Shantinagar, Vakola,
Santacruz (East),
Mumbai - 400055, INDIA

Ph : + 91 - 22 - 6692 5151
Fax : + 91 - 22 - 6692 1026
Email : sales@sahajanand.com



www.sahajanand.com

SF1/SF2, Garment Complex,
K.S.S.I.D.C. Industrial Estate,
Rajajinagar,
Bangalore - 560044, INDIA

Ph : + 91 - 80 - 6535 8282
Fax : + 91 - 80 - 2310 5011
Email : blr@sahajanand.com

The Siemens part numbers mentioned are registered trademark of Siemens and for reference only.