



# SAHAJANAND

*Infinite Solutions*

## CABLES FOR SIEMENS SERVO MOTORS AND DRIVES



[www.sahajanand.com](http://www.sahajanand.com)

Sahajanand offers highest quality Cables in accordance to Siemens Standards. These cables are compatible with Siemens Systems and allows unhindered operation ensuring complete safety and reliability.

## Why Sahajanand Cables ?



Cost Effective



Customized Lengths



Longer Service Life



Faster Delivery

## DRIVE CLIQ SIGNAL CABLES

### TECHNICAL SPECIFICATIONS

Shielded cables designed according to Siemens standards

Outer Sheath	Special PVC / PUR
Color	Green (Comparable to RAL 6018)
Rated Voltage	30 V
Test Voltage	500 V
Operating Temperature	-20°C to +80°C
Oil	Resistant
Flame	Retardant
Insulation Material	CFC / Silicon Free
Smallest bending radius	35 mm for fixed installation



### FOR STATIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX2002-1DC00-XXXX	6FX5002-1DC10-XXXX	6FX5002-2DC20-XXXX	6FX5002-2DC44-XXXX	6FX5002-2DD44-XXXX
6FX2002-1DC10-XXXX	6FX5002-1DC20-XXXX	6FX5002-2DC30-XXXX	6FX5002-2DC46-XXXX	6FX5002-2DD48-XXXX
6FX2002-1DC20-XXXX	6FX5002-2DC00-XXXX	6FX5002-2DC40-XXXX	6FX5002-2DC48-XXXX	6SL3060
6FX5002-1DC00-XXXX	6FX5002-2DC10-XXXX	6FX5002-2DC42-XXXX	6FX5002-2DD40-XXXX	

### FOR DYNAMIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX8002-2DC00-XXXX	6FX8002-2DC30-XXXX	6FX8002-2DC44-XXXX	6FX8002-2DD40-XXXX
6FX8002-2DC10-XXXX	6FX8002-2DC40-XXXX	6FX8002-2DC46-XXXX	6FX8002-2DD44-XXXX
6FX8002-2DC20-XXXX	6FX8002-2DC42-XXXX	6FX8002-2DC48-XXXX	6FX8002-2DD48-XXXX

\*Customized lengths available.

## ENCODER CABLES

### TECHNICAL SPECIFICATIONS

Shielded cables designed according to Siemens standards

Outer Sheath	Special PVC / PUR
Color	Green (Comparable to RAL 6018)
Rated Voltage	30 V
Test Voltage	500 V
Operating Temperature	-20°C to +80°C
Oil	Resistant
Flame	Retardant
Insulation Material	CFC / Silicon Free
Smallest bending radius	60mm for fixed installation



### FOR STATIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX5002-2AD00-XXXX	6FX5002-2CA12-XXXX	6FX5002-2CB54-XXXX	6FX5002-2CF20-XXXX	6FX5002-2CT31-XXXX
6FX5002-2AD04-XXXX	6FX5002-2CA15-XXXX	6FX5002-2CC06-XXXX	6FX5002-2CG00-XXXX	6FX5002-2EN20-XXXX
6FX5002-2AH00-XXXX	6FX5002-2CA20-XXXX	6FX5002-2CC11-XXXX	6FX5002-2CH00-XXXX	6FX5002-2EN24-XXXX
6FX5002-2AH04-XXXX	6FX5002-2CA21-XXXX	6FX5002-2CC12-XXXX	6FX5002-2CJ00-XXXX	6FX5002-2EQ10-XXXX
6FX5002-2AH11-XXXX	6FX5002-2CA31-XXXX	6FX5002-2CC71-XXXX	6FX5002-2CJ10-XXXX	6FX5002-2EQ14-XXXX
6FX5002-2AL00-XXXX	6FX5002-2CA34-XXXX	6FX5002-2CC81-XXXX	6FX5002-2CM00-XXXX	6FX5002-2EQ18-XXXX
6FX5002-2BA00-XXXX	6FX5002-2CA51-XXXX	6FX5002-2CD01-XXXX	6FX5002-2CN20-XXXX	6FX5002-2EQ20-XXXX
6FX5002-2BA10-XXXX	6FX5002-2CA61-XXXX	6FX5002-2CD24-XXXX	6FX5002-2CN24-XXXX	6FX5002-2EQ31-XXXX
6FX5002-2BA20-XXXX	6FX5002-2CA72-XXXX	6FX5002-2CF02-XXXX	6FX5002-2CQ31-XXXX	6FX5002-2EQ34-XXXX
6FX5002-2BA21-XXXX	6FX5002-2CA80-XXXX	6FX5002-2CF04-XXXX	6FX5002-2CQ34-XXXX	6FX5002-2EQ88-XXXX
6FX5002-2BB01-XXXX	6FX5002-2CB42-XXXX	6FX5002-2CF06-XXXX	6FX5002-2CQ80-XXXX	6FX5002-2FN20-XXXX
6FX5002-2CA11-XXXX	6FX5002-2CB51-XXXX	6FX5002-2CF10-XXXX	6FX5002-2CR00-XXXX	

### FOR DYNAMIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX8002-2AD00-XXXX	6FX8002-2CA12-XXXX	6FX8002-2CB54-XXXX	6FX8002-2CF20-XXXX	6FX8002-2CT31-XXXX
6FX8002-2AD04-XXXX	6FX8002-2CA15-XXXX	6FX8002-2CC06-XXXX	6FX8002-2CG00-XXXX	6FX8002-2EN20-XXXX
6FX8002-2AH00-XXXX	6FX8002-2CA20-XXXX	6FX8002-2CC11-XXXX	6FX8002-2CH00-XXXX	6FX8002-2EN24-XXXX
6FX8002-2AH04-XXXX	6FX8002-2CA21-XXXX	6FX8002-2CC12-XXXX	6FX8002-2CJ00-XXXX	6FX8002-2EQ10-XXXX
6FX8002-2AH11-XXXX	6FX8002-2CA31-XXXX	6FX8002-2CC71-XXXX	6FX8002-2CJ10-XXXX	6FX8002-2EQ14-XXXX
6FX8002-2AL00-XXXX	6FX8002-2CA34-XXXX	6FX8002-2CC81-XXXX	6FX8002-2CM00-XXXX	6FX8002-2EQ18-XXXX
6FX8002-2BA00-XXXX	6FX8002-2CA51-XXXX	6FX8002-2CD01-XXXX	6FX8002-2CN20-XXXX	6FX8002-2EQ20-XXXX
6FX8002-2BA10-XXXX	6FX8002-2CA61-XXXX	6FX8002-2CD24-XXXX	6FX8002-2CN24-XXXX	6FX8002-2EQ31-XXXX
6FX8002-2BA20-XXXX	6FX8002-2CA72-XXXX	6FX8002-2CF02-XXXX	6FX8002-2CQ31-XXXX	6FX8002-2EQ34-XXXX
6FX8002-2BA21-XXXX	6FX8002-2CA80-XXXX	6FX8002-2CF04-XXXX	6FX8002-2CQ34-XXXX	6FX8002-2EQ88-XXXX
6FX8002-2BB01-XXXX	6FX8002-2CB42-XXXX	6FX8002-2CF06-XXXX	6FX8002-2CQ80-XXXX	6FX8002-2FN20-XXXX
6FX8002-2CA11-XXXX	6FX8002-2CB51-XXXX	6FX8002-2CF10-XXXX	6FX8002-2CR00-XXXX	

\*Customized lengths available.




# POWER CABLES

## TECHNICAL SPECIFICATIONS

Shielded cables designed according to Siemens standards

Outer Sheath	Special PVC / PUR
Color	Orange (Comparable to RAL 2003)
Rated Voltage	600 V / 1000 V
Test Voltage	
Power Conductor	4 KV
Signal Conductor	2 KV
Operating Temperature	-20°C to +80°C
Oil	Resistant
Flame	Retardant
Insulation Material	CFC / Silicon Free
Smallest bending radius	5XD for fixed installation



## FOR STATIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX5002-5CA01-XXXX	6FX5002-5CE04-XXXX	6FX5002-5CR20-XXXX	6FX5002-5DA38-XXXX	6FX5002-5DG33-XXXX
6FX5002-5CA10-XXXX	6FX5002-5CE06-XXXX	6FX5002-5CR21-XXXX	6FX5002-5DA41-XXXX	6FX5002-5DG41-XXXX
6FX5002-5CA11-XXXX	6FX5002-5CF10-XXXX	6FX5002-5CR41-XXXX	6FX5002-5DA42-XXXX	6FX5002-5DG42-XXXX
6FX5002-5CA12-XXXX	6FX5002-5CG01-XXXX	6FX5002-5CR42-XXXX	6FX5002-5DA48-XXXX	6FX5002-5DG43-XXXX
6FX5002-5CA13-XXXX	6FX5002-5CG10-XXXX	6FX5002-5CR43-XXXX	6FX5002-5DA51-XXXX	6FX5002-5DG51-XXXX
6FX5002-5CA15-XXXX	6FX5002-5CG11-XXXX	6FX5002-5CR52-XXXX	6FX5002-5DA52-XXXX	6FX5002-5DG52-XXXX
6FX5002-5CA20-XXXX	6FX5002-5CG12-XXXX	6FX5002-5CR53-XXXX	6FX5002-5DA58-XXXX	6FX5002-5DG53-XXXX
6FX5002-5CA21-XXXX	6FX5002-5CG13-XXXX	6FX5002-5CR72-XXXX	6FX5002-5DA61-XXXX	6FX5002-5DG61-XXXX
6FX5002-5CA22-XXXX	6FX5002-5CG21-XXXX	6FX5002-5CR73-XXXX	6FX5002-5DA62-XXXX	6FX5002-5DG62-XXXX
6FX5002-5CA31-XXXX	6FX5002-5CG22-XXXX	6FX5002-5CR83-XXXX	6FX5002-5DA68-XXXX	6FX5002-5DQ11-XXXX
6FX5002-5CA32-XXXX	6FX5002-5CG23-XXXX	6FX5002-5CS14-XXXX	6FX5002-5DC25-XXXX	6FX5002-5DQ21-XXXX
6FX5002-5CA41-XXXX	6FX5002-5CG31-XXXX	6FX5002-5CS23-XXXX	6FX5002-5DC35-XXXX	6FX5002-5DQ28-XXXX
6FX5002-5CA42-XXXX	6FX5002-5CG32-XXXX	6FX5002-5CS24-XXXX	6FX5002-5DD25-XXXX	6FX5002-5DQ31-XXXX
6FX5002-5CA48-XXXX	6FX5002-5CG33-XXXX	6FX5002-5CS54-XXXX	6FX5002-5DD35-XXXX	6FX5002-5DQ38-XXXX
6FX5002-5CA51-XXXX	6FX5002-5CG41-XXXX	6FX5002-5CS64-XXXX	6FX5002-5DF10-XXXX	6FX5002-5DQ41-XXXX
6FX5002-5CA52-XXXX	6FX5002-5CG42-XXXX	6FX5002-5DA01-XXXX	6FX5002-5DG01-XXXX	6FX5002-5DQ48-XXXX
6FX5002-5CA58-XXXX	6FX5002-5CG51-XXXX	6FX5002-5DA10-XXXX	6FX5002-5DG10-XXXX	6FX5002-5DQ51-XXXX
6FX5002-5CA61-XXXX	6FX5002-5CG52-XXXX	6FX5002-5DA11-XXXX	6FX5002-5DG11-XXXX	6FX5002-5DQ58-XXXX
6FX5002-5CA62-XXXX	6FX5002-5CG61-XXXX	6FX5002-5DA12-XXXX	6FX5002-5DG12-XXXX	6FX5002-5DQ61-XXXX
6FX5002-5CA68-XXXX	6FX5002-5CG62-XXXX	6FX5002-5DA21-XXXX	6FX5002-5DG13-XXXX	6FX5002-5DQ68-XXXX
6FX5002-5CC10-XXXX	6FX5002-5CJ16-XXXX	6FX5002-5DA22-XXXX	6FX5002-5DG21-XXXX	6FX5002-5DS23-XXXX
6FX5002-5CC16-XXXX	6FX5002-5CJ25-XXXX	6FX5002-5DA28-XXXX	6FX5002-5DG22-XXXX	6FX5002-5DS24-XXXX
6FX5002-5CC25-XXXX	6FX5002-5CN54-XXXX	6FX5002-5DA30-XXXX	6FX5002-5DG23-XXXX	
6FX5002-5CD35-XXXX	6FX5002-5CR10-XXXX	6FX5002-5DA31-XXXX	6FX5002-5DG31-XXXX	
6FX5002-5CE02-XXXX	6FX5002-5CR11-XXXX	6FX5002-5DA32-XXXX	6FX5002-5DG32-XXXX	

\*Customized lengths available.

## FOR STATIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX5002-5CN01-XXXX	6FX5002-5CP42-XXXX	6FX5002-5CS52-XXXX	6FX5002-5DN61-XXXX	6FX5002-5DS64-XXXX
6FX5002-5CN11-XXXX	6FX5002-5CP43-XXXX	6FX5002-5CS61-XXXX	6FX5002-5DN64-XXXX	6FX5002-8QN04-XXXX
6FX5002-5CN21-XXXX	6FX5002-5CP45-XXXX	6FX5002-5CS62-XXXX	6FX5002-5DS01-XXXX	6FX5002-8QN08-XXXX
6FX5002-5CN41-XXXX	6FX5002-5CS01-XXXX	6FX5002-5DA20-XXXX	6FX5002-5DS11-XXXX	6FX5002-8QN11-XXXX
6FX5002-5CN51-XXXX	6FX5002-5CS02-XXXX	6FX5002-5DN01-XXXX	6FX5002-5DS13-XXXX	6FX5002-8QN21-XXXX
6FX5002-5CN61-XXXX	6FX5002-5CS11-XXXX	6FX5002-5DN11-XXXX	6FX5002-5DS14-XXXX	6FX5002-8QE04-XXXX
6FX5002-5CN64-XXXX	6FX5002-5CS12-XXXX	6FX5002-5DN20-XXXX	6FX5002-5DS21-XXXX	6FX5002-8QE08-XXXX
6FX5002-5CP10-XXXX	6FX5002-5CS13-XXXX	6FX5002-5DN21-XXXX	6FX5002-5DS31-XXXX	6FX5002-8QE11-XXXX
6FX5002-5CP11-XXXX	6FX5002-5CS21-XXXX	6FX5002-5DN31-XXXX	6FX5002-5DS41-XXXX	6FX5002-8QE21-XXXX
6FX5002-5CP20-XXXX	6FX5002-5CS31-XXXX	6FX5002-5DN41-XXXX	6FX5002-5DS51-XXXX	
6FX5002-5CP21-XXXX	6FX5002-5CS41-XXXX	6FX5002-5DN51-XXXX	6FX5002-5DS54-XXXX	
6FX5002-5CP41-XXXX	6FX5002-5CS51-XXXX	6FX5002-5DN54-XXXX	6FX5002-5DS61-XXXX	

## FOR STATIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX5002-5CN06-XXXX	6FX5002-5CP17-XXXX	6FX5002-5CS36-XXXX	6FX5002-5DN06-XXXX	6FX5002-5DS16-XXXX
6FX5002-5CN16-XXXX	6FX5002-5CP26-XXXX	6FX5002-5CS46-XXXX	6FX5002-5DN16-XXXX	6FX5002-5DS17-XXXX
6FX5002-5CN26-XXXX	6FX5002-5CP27-XXXX	6FX5002-5CS56-XXXX	6FX5002-5DN26-XXXX	6FX5002-5DS26-XXXX
6FX5002-5CN27-XXXX	6FX5002-5CP46-XXXX	6FX5002-5CS66-XXXX	6FX5002-5DN27-XXXX	6FX5002-5DS27-XXXX
6FX5002-5CN31-XXXX	6FX5002-5CP47-XXXX	6FX5002-5CW02-XXXX	6FX5002-5DN36-XXXX	6FX5002-5DS36-XXXX
6FX5002-5CN36-XXXX	6FX5002-5CS06-XXXX	6FX5002-5CW12-XXXX	6FX5002-5DN46-XXXX	6FX5002-5DS46-XXXX
6FX5002-5CN46-XXXX	6FX5002-5CS16-XXXX	6FX5002-5CW42-XXXX	6FX5002-5DN56-XXXX	6FX5002-5DS56-XXXX
6FX5002-5CN56-XXXX	6FX5002-5CS17-XXXX	6FX5002-5CW52-XXXX	6FX5002-5DN66-XXXX	6FX5002-5DS66-XXXX
6FX5002-5CN66-XXXX	6FX5002-5CS26-XXXX	6FX5002-5CW62-XXXX	6FX5002-5DS06-XXXX	


\*Customized lengths available.

# POWER CABLES

## TECHNICAL SPECIFICATIONS

Shielded cables designed according to Siemens standards

Outer Sheath	Special PVC / PUR
Color	Orange (Comparable to RAL 2003)
Rated Voltage	600 V / 1000 V
Test Voltage	
Power Conductor	4 KV
Signal Conductor	2 KV
Operating Temperature	-20°C to +80°C
Oil	Resistant
Flame	Retardant
Insulation Material	CFC / Silicon Free
Smallest bending radius	5XD for fixed installation



## FOR DYNAMIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX8002-5CA01-XXXX	6FX8002-5CE04-XXXX	6FX8002-5CR20-XXXX	6FX8002-5DA38-XXXX	6FX8002-5DG33-XXXX
6FX8002-5CA10-XXXX	6FX8002-5CE06-XXXX	6FX8002-5CR21-XXXX	6FX8002-5DA41-XXXX	6FX8002-5DG41-XXXX
6FX8002-5CA11-XXXX	6FX8002-5CF10-XXXX	6FX8002-5CR41-XXXX	6FX8002-5DA42-XXXX	6FX8002-5DG42-XXXX
6FX8002-5CA12-XXXX	6FX8002-5CG01-XXXX	6FX8002-5CR42-XXXX	6FX8002-5DA48-XXXX	6FX8002-5DG43-XXXX
6FX8002-5CA13-XXXX	6FX8002-5CG10-XXXX	6FX8002-5CR43-XXXX	6FX8002-5DA51-XXXX	6FX8002-5DG51-XXXX
6FX8002-5CA15-XXXX	6FX8002-5CG11-XXXX	6FX8002-5CR52-XXXX	6FX8002-5DA52-XXXX	6FX8002-5DG52-XXXX
6FX8002-5CA20-XXXX	6FX8002-5CG12-XXXX	6FX8002-5CR53-XXXX	6FX8002-5DA58-XXXX	6FX8002-5DG53-XXXX
6FX8002-5CA21-XXXX	6FX8002-5CG13-XXXX	6FX8002-5CR72-XXXX	6FX8002-5DA61-XXXX	6FX8002-5DG61-XXXX
6FX8002-5CA22-XXXX	6FX8002-5CG21-XXXX	6FX8002-5CR73-XXXX	6FX8002-5DA62-XXXX	6FX8002-5DG62-XXXX
6FX8002-5CA31-XXXX	6FX8002-5CG22-XXXX	6FX8002-5CR83-XXXX	6FX8002-5DA68-XXXX	6FX8002-5DQ11-XXXX
6FX8002-5CA32-XXXX	6FX8002-5CG23-XXXX	6FX8002-5CS14-XXXX	6FX8002-5DC25-XXXX	6FX8002-5DQ21-XXXX
6FX8002-5CA41-XXXX	6FX8002-5CG31-XXXX	6FX8002-5CS23-XXXX	6FX8002-5DC35-XXXX	6FX8002-5DQ28-XXXX
6FX8002-5CA42-XXXX	6FX8002-5CG32-XXXX	6FX8002-5CS24-XXXX	6FX8002-5DD25-XXXX	6FX8002-5DQ31-XXXX
6FX8002-5CA48-XXXX	6FX8002-5CG33-XXXX	6FX8002-5CS54-XXXX	6FX8002-5DD35-XXXX	6FX8002-5DQ38-XXXX
6FX8002-5CA51-XXXX	6FX8002-5CG41-XXXX	6FX8002-5CS64-XXXX	6FX8002-5DF10-XXXX	6FX8002-5DQ41-XXXX
6FX8002-5CA52-XXXX	6FX8002-5CG42-XXXX	6FX8002-5DA01-XXXX	6FX8002-5DG01-XXXX	6FX8002-5DQ48-XXXX
6FX8002-5CA58-XXXX	6FX8002-5CG51-XXXX	6FX8002-5DA10-XXXX	6FX8002-5DG10-XXXX	6FX8002-5DQ51-XXXX
6FX8002-5CA61-XXXX	6FX8002-5CG52-XXXX	6FX8002-5DA11-XXXX	6FX8002-5DG11-XXXX	6FX8002-5DQ58-XXXX
6FX8002-5CA62-XXXX	6FX8002-5CG61-XXXX	6FX8002-5DA12-XXXX	6FX8002-5DG12-XXXX	6FX8002-5DQ61-XXXX
6FX8002-5CA68-XXXX	6FX8002-5CG62-XXXX	6FX8002-5DA21-XXXX	6FX8002-5DG13-XXXX	6FX8002-5DQ68-XXXX
6FX8002-5CC10-XXXX	6FX8002-5CJ16-XXXX	6FX8002-5DA22-XXXX	6FX8002-5DG21-XXXX	6FX8002-5DS23-XXXX
6FX8002-5CC16-XXXX	6FX8002-5CJ25-XXXX	6FX8002-5DA28-XXXX	6FX8002-5DG22-XXXX	6FX8002-5DS24-XXXX
6FX8002-5CC25-XXXX	6FX8002-5CN54-XXXX	6FX8002-5DA30-XXXX	6FX8002-5DG23-XXXX	
6FX8002-5CD35-XXXX	6FX8002-5CR10-XXXX	6FX8002-5DA31-XXXX	6FX8002-5DG31-XXXX	
6FX8002-5CE02-XXXX	6FX8002-5CR11-XXXX	6FX8002-5DA32-XXXX	6FX8002-5DG32-XXXX	

\*Customized lengths available.



## FOR DYNAMIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX8002-5CN01-XXXX	6FX8002-5CP42-XXXX	6FX8002-5CS52-XXXX	6FX8002-5DN61-XXXX	6FX8002-5DS64-XXXX
6FX8002-5CN11-XXXX	6FX8002-5CP43-XXXX	6FX8002-5CS61-XXXX	6FX8002-5DN64-XXXX	6FX8002-8QN04-XXXX
6FX8002-5CN21-XXXX	6FX8002-5CP45-XXXX	6FX8002-5CS62-XXXX	6FX8002-5DS01-XXXX	6FX8002-8QN08-XXXX
6FX8002-5CN41-XXXX	6FX8002-5CS01-XXXX	6FX8002-5DA20-XXXX	6FX8002-5DS11-XXXX	6FX8002-8QN11-XXXX
6FX8002-5CN51-XXXX	6FX8002-5CS02-XXXX	6FX8002-5DN01-XXXX	6FX8002-5DS13-XXXX	6FX8002-8QN21-XXXX
6FX8002-5CN61-XXXX	6FX8002-5CS11-XXXX	6FX8002-5DN11-XXXX	6FX8002-5DS14-XXXX	6FX8002-8QE04-XXXX
6FX8002-5CN64-XXXX	6FX8002-5CS12-XXXX	6FX8002-5DN20-XXXX	6FX8002-5DS21-XXXX	6FX8002-8QE08-XXXX
6FX8002-5CP10-XXXX	6FX8002-5CS13-XXXX	6FX8002-5DN21-XXXX	6FX8002-5DS31-XXXX	6FX8002-8QE11-XXXX
6FX8002-5CP11-XXXX	6FX8002-5CS21-XXXX	6FX8002-5DN31-XXXX	6FX8002-5DS41-XXXX	6FX8002-8QE21-XXXX
6FX8002-5CP20-XXXX	6FX8002-5CS31-XXXX	6FX8002-5DN41-XXXX	6FX8002-5DS51-XXXX	
6FX8002-5CP21-XXXX	6FX8002-5CS41-XXXX	6FX8002-5DN51-XXXX	6FX8002-5DS54-XXXX	
6FX8002-5CP41-XXXX	6FX8002-5CS51-XXXX	6FX8002-5DN54-XXXX	6FX8002-5DS61-XXXX	
















## FOR DYNAMIC APPLICATION

SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.	SIEMENS PART NO.
6FX8002-5CN06-XXXX	6FX8002-5CP17-XXXX	6FX8002-5CS36-XXXX	6FX8002-5DN06-XXXX	6FX8002-5DS16-XXXX
6FX8002-5CN16-XXXX	6FX8002-5CP26-XXXX	6FX8002-5CS46-XXXX	6FX8002-5DN16-XXXX	6FX8002-5DS17-XXXX
6FX8002-5CN26-XXXX	6FX8002-5CP27-XXXX	6FX8002-5CS56-XXXX	6FX8002-5DN26-XXXX	6FX8002-5DS26-XXXX
6FX8002-5CN27-XXXX	6FX8002-5CP46-XXXX	6FX8002-5CS66-XXXX	6FX8002-5DN27-XXXX	6FX8002-5DS27-XXXX
6FX8002-5CN31-XXXX	6FX8002-5CP47-XXXX	6FX8002-5CW02-XXXX	6FX8002-5DN36-XXXX	6FX8002-5DS36-XXXX
6FX8002-5CN36-XXXX	6FX8002-5CS06-XXXX	6FX8002-5CW12-XXXX	6FX8002-5DN46-XXXX	6FX8002-5DS46-XXXX
6FX8002-5CN46-XXXX	6FX8002-5CS16-XXXX	6FX8002-5CW42-XXXX	6FX8002-5DN56-XXXX	6FX8002-5DS56-XXXX
6FX8002-5CN56-XXXX	6FX8002-5CS17-XXXX	6FX8002-5CW52-XXXX	6FX8002-5DN66-XXXX	6FX8002-5DS66-XXXX
6FX8002-5CN66-XXXX	6FX8002-5CS26-XXXX	6FX8002-5CW62-XXXX	6FX8002-5DS06-XXXX	

\*Customized lengths available.



*We offer Servo Cables for the following brands*

## SAHAJANAND

### **Sahajanand Impex Pvt. Ltd.**

103/104, Magnum Opus, Shantinagar, Vakola,  
Santacruz (East), Mumbai - 400055, INDIA.

Tel. : +91 22 6692 5151

Email : [sales@sahajanand.com](mailto:sales@sahajanand.com)

Web : [www.sahajanand.com](http://www.sahajanand.com)

